



# TECH MASTER GPP400 SERIES

## 4.5 Purity Single Stage Brass Barstock Diaphragm Outlet Point Regulator

Tech Master GPP400 series single stage diaphragm outlet point regulators are designed for secondary pressure gas control of non-corrosive or toxic, technical grade gases up to grade 4.5 purity (99.995%), on gas distribution systems at the point of user control.

 GPP400 Series | Single Stage Diaphragm Outlet Point Regulator



#### **FEATURES**

Three port configuration

Rear point mounting (1/4 NPT male)

Encapsulated seat design

Low wetted surface area

Full range of outlet fittings

Rear entry



### **MATERIALS**

Body	Brass Barstock				
Bonnet	High Strength Alloy				
Diaphragm	Polychloroprene (Neoprene®) (CR)				
Seat	Polyamide (Nylon®)				
Filtor	10 Micron 216L Stainlage Stool				


 SPECIFICATION
SPECIFICATION

Maximum Inlet Pressure	60 bar (870 PSI)			
Delivery Pressure Range	1.5 bar (22 PSI) / 3.5 bar (50 PSI) / 6 bar (90 PSI) / 10 bar (150 PSI)			
Gauges	50mm (2") Diameter			
Ports	1/4" NPT Female			
Temperature Range	-20° C to +60° C (-4° F to +140° F)			
Flow Coefficient (Cv)	0.1			
Weight	1.1 kg (2.5 lb)			




#### **FLOW PERFORMANCE**


#### 20 bar inlet pressure @ 21°



#### 10 bar inlet pressure @ 21°




#### 6 bar inlet pressure @ 21°











- Adjustable Pressure Regulator P2 Pressure Gauge



Model No. Selector Guide										
Product Type	Inlet Pressure	Outlet Pressure	Inlet Pressure Gauge	Outlet Pressure Gauge	Inlet/Cylinder Connection	Outlet Connection	Options			
GPP400	<b>02</b> 60 bar / 870 PSI	<b>02</b> -1 - 1.5 bar / 22 PSIG	00 No Gauge Fitted	00 No Gauge Fitted	000 No Inlet Fitted	00 No Outlet Fitted	A No Options Selected			
		<b>03</b> -1 - 3.5 bar / 50 PSIG		01 bar/PSI	001 1/8 Stainless Steel Compression	01 1/8 Stainless Steel Compression	K Certificate of Conformity			
		<b>04</b> -1 - 6 bar / 90 PSIG			002 1/4 Stainless Steel Compression	02 1/4 Stainless Steel Compression	L Panel Mount Locking Nut Kit			
		<b>05</b> -1 - 10 bar / 150 PSIG			003 6mm Stainless Steel Compression	03 6mm Stainless Steel Compression	P Calibration / Pressure Test Certificate			
					<b>004</b> 1/4 NPT Male	<b>04</b> 1/4 NPT Male	X Special Instruction			
					007 G3/8 BSP R/H Brass Male	05 1/4 SAE Flare Brass Male				
					008 G3/8 BSP L/H Brass Male	06 G1/2 BSP R/H Brass Male				
						07 G3/8 BSP R/H Brass Male				
						08 G3/8 BSP L/H Brass Male				
						09 Isolation Valve, 1/4 NPT Female, FKM Seal				
						10 Isolation Valve, 1/4 NPT Female, EPDM Seal				
						11 Isolation Valve, 1/8 Stainless Steel Compression, FKM Seal				
						12 Isolation Valve, 1/8 Stainless Steel Compression, EPDM Seal				
						13 Isolation Valve, 1/4 Stainless Steel Compression, FKM Seal				
						14 Isolation Valve, 1/4 Stainless Steel Compression, EPDM Seal				
						15 Isolation Valve, 6mm Stainless Steel Compression, FKM Seal				
						16 Isolation Valve, 6mm Stainless Steel Compression, EPDM Seal				
						17 Isolation Valve, 1/4 NPT Male, FKM Seal				
						18 Isolation Valve, 1/4 NPT Male, EPDM Seal				
						19 Isolation Valve, G3/8 BSP R/H Brass Male, FKM Seal				
						20 Isolation Valve, G3/8 BSP R/H Brass Male, EPDM Seal				
						21 Isolation Valve, G3/8 BSP L/H Brass Male, FKM Seal				