COMPACT & LOW-FLOW PRESSURE REGULATOR



● Gas Liquid

DiaphragmPiston

Self-Venting



Max Inlet: 300bar (4,350psi)

Max Outlet: 100bar (1,450psi)

Cv 0.06



INTRODUCING THE MINI300...

The MINI300 provides an economical, lightweight and versatile regulator range, designed for customers who want accurate control from a compact unit.

The MINI300 features fully supported 'sensitive' pistons with low pressure and high-pressure outlet options. There is also a choice of handwheel or thumbwheel adjustment.

SPECIFICATION

300bar (4,350psi)
Jp to 100bar (1,450psi)
50% max. working pressure
n accordance with ANSI/FCI 70-3
).5kg (1.1lbs)

STANDARD MATERIALS OF CONSTRUCTION

PART	MATERIALS
Body and Bonnet	AISI 316 / 316L Stainless Steel (UNS S31600 / S31603)
Main Valve Pin	AISI 316 / 316L Stainless Steel (UNS S31600 / S31603)
Soft Seat	PCTFE / PEEK™
Valve Spring	Inconel® X750
Piston	AISI 316 / 316L Stainless Steel (UNS S31600 / S31603)
Handwheel	Nylon
'O'-Ring Seals	FKM / FPM
Loading Spring	Alloy Spring Steel
Filter	40 Microns

FEATURES AND BENEFITS

PISTON SENSING **ELEMENT**

> Perfect for use in challenging conditions.

OPTIONAL ADJUSTMENT METHODS

> Handwheel or thumbwheel adjustment available.

COMPACT DESIGN

Perfect for when installation space is restricted.

316SS THREADED **BONNET**

> For panel mounting option as standard.

Product availability and specifications contained herein are subject to change without notice. Consult local distributor or factory for potential revisions and/or service related issues Pressure Tech Ltd support with product selection recommendations only - it is the users responsibility to ensure the product is suitable for their specific application requirements.





PRESSURE TECH LTD

Unit 24, Graphite Way, Hadfield, Glossop, Derbyshire, UK, SK13 1QH

T +44 (0)1457 899 307

E info@pressure-tech.com

W www.pressure-tech.com

COMPACT & LOW-FLOW PRESSURE REGULATOR







DiaphragmPiston






Max Inlet: 300bar (4,350psi)

Max Outlet: 100bar (1,450psi)


Cv 0.06

DRAWINGS AND INSTALLATION DIMENSIONS


Dimensions shown for 1/6" NPT option - please contact the office for additional connections options.












PT-C-024-001 (STAINLESS STEEL) PANEL MOUNT RING



Note:

- All gauge ports are 1/4" NPT as standard.
- Position of mounting holes may vary depending on configuration.

Product availability and specifications contained herein are subject to change without notice. Consult local distributor or factory for potential revisions and/or service related issues Pressure Tech Ltd support with product selection recommendations only - it is the users responsibility to ensure the product is suitable for their specific application requirements





PRESSURE TECH LTD

Unit 24, Graphite Way, Hadfield, Glossop, Derbyshire, UK, SK13 1QH

T +44 (0)1457 899 307

E info@pressure-tech.com

W www.pressure-tech.com



COMPACT & LOW-FLOW PRESSURE REGULATOR







DiaphragmPiston





Max Inlet: 300bar (4,350psi)


Max Outlet: 100bar (1,450psi)

Cv 0.06

FLOW CURVE

Please contact the office for further information.

PORTING CONFIGURATIONS



Note:

Additional porting configurations are available - please contact the office for further information.

Product availability and specifications contained herein are subject to change without notice. Consult local distributor or factory for potential revisions and/or service related issues Pressure Tech Ltd support with product selection recommendations only - it is the users responsibility to ensure the product is suitable for their specific application requirements.





COMPACT & LOW-FLOW PRESSURE REGULATOR







DiaphragmPiston








Max Inlet: 300bar (4,350psi)

Max Outlet: 100bar (1,450psi)

Cv 0.06

ORDERING INFORMATION

To build a Pressure Tech part number, simply combine the characters identified below in sequence:



OPTIONAL EXTRAS PART NUMBER **DESCRIPTION** Various options available Service Kit SRK-MINI300... Panel Mounting Ring PT-C-024-001 Note: Ancillary equipment also available

TRADEMARKS: PEEK™ is a trademark of Victrex PLC

Inconel® is a registered trademark of Inco Alloys International

- * Where applicable
- ** Other materials may be available please contact the office

Product availability and specifications contained herein are subject to change without notice. Consult local distributor or factory for potential revisions and/or service related issues Pressure Tech Ltd support with product selection recommendations only - it is the users responsibility to ensure the product is suitable for their specific application requirements





Unit 24, Graphite Way, Hadfield, Glossop, Derbyshire, UK, SK13 1QH

T +44 (0)1457 899 307

E info@pressure-tech.com

W www.pressure-tech.com

